Generated: 3 November, 2025, 03:27

Engine Bay Wire Connections on '84 Posted by Karl @ ART - 26 Mar 2009 05:47

Since I'm still waiting on the block, I figured I would remove the main wiring harness and redesign the wiring. I left the engine harness in place and just disconnected the main harness at the T9 connector at the firewall. This leaves me with nine wires that I may need to address at some point. Iâll ve gone over the electric diagrams for hours and have found that they do not exactly represent reality and without the engine in place lâl ma bit lost. Would someone be kind enough to look at their car and tell me where the following wires or connectors terminate. All of these come out of the engine harness and lâll ve started with the wires or connectors the furthest from the firewall in terms of wire length.

- -0.5mm blue/black and blue/white wires with rubber hats
- -blue two terminal connector
- -black three terminal connector
- -black five terminal connector with only four leads (I assume this is the AFM)
- -0.5mm blue and yellow wire with a female spade connector
- -black two terminal connector

There are also two connectors at the firewall.

- -2.0mm green going into a ceramic adapter (which is badly broken) with a .5mm black wire on the other side with a frayed end. (I assume this is the O2 sensor wire, less the sensor.)
- -.5mm black and brown wires to a two pin connector, male on the brown, female on the black.

Thanks! Once I get it all wired and running, lâlll be happy to post the schematics for anyone else who wants to do the same.

Re:Engine Bay Wire Connections on '84 Posted by many944s - 30 Mar 2009 10:27

Here is a link to a thread I posted a while back with the wire scheme for the early harness:

944spec.org/944SPEC/component/option,com...mit,6/limitstart,18/

944-SPEC - 944SPEC - low cost wheel to wheel racing

Generated: 3 November, 2025, 03:27

However, since you removed the connectors these color codes probably wont help much. I will take a look at my custom harness tomorrow and find out which pins are what on the connectors there by the brake booster and let you know!

As for you question on the 2 wire (black/brown) connector by the O2 sensor, that is a power feed for a heated O2 sensor.
-Nick
Re:Engine Bay Wire Connections on '84 Posted by Karl @ ART - 01 Apr 2009 01:30
Nick,
Thanks. Somehow I missed your post about doing the same thing. I am still curious about the O2 sensor wire/ceramic plug and the other connectors if anyone has a chance.
Re:Engine Bay Wire Connections on '84 Posted by Karl @ ART - 07 Apr 2009 02:56
Just in case anyone else needs the information.
DME Harness
-Connection to DME
-T2 Connection to Altitude Comp Switch
-T2 Connection to MPG indicator in Tach

FIREWALL

- -Shielded O2 sensor wire
- -T2 Connector 12V after FP relay and ground (Heated O2 sensor)
- -T9 Connector (I have all nine of these wires noted as well if someone needs the info.)

944-SPEC - 944SPEC - low cost wheel to wheel racing

Generated: 3 November, 2025, 03:27

- -Two ground wires
- -Two T2 Connectors for Speed and Reference Mark Signals
- -Injector branch

Remaining long branch

- -Air Valve
- -Coolant Temp Warning Sensor
- -T5 Connector AFM
- -T3 Connector Throttle Valve
- -T2 Connector Temperature Sensor

The two last wires go to the Oil Pressure Sender

The way I figure it you will only need the DME harness and the T9 connector on the main harness that connects to the T9 connector on the DME harness. From the T9 on the main harness you will need some of the wires, and the FP relay. Iâ m pulling the dash and using an aftermarket oil pressure gauge, so the wires to the OE oil pressure sender are useless to me as is the rest of the harness, the power dist. board, and many relays. Iâ la reuse some heavy wire to go to the master kill switch and will have to run a brake and FP wire to the back as well as radiator fan wires up front.

Re:Engine Bay Wire Connections on '84 Posted by Karl @ ART - 07 Apr 2009 03:25

Solved the O2 wire issue as well.

The heavy green wire out of the DME harness is shielded. Can't tell you why it terminates in a ceramic mass since the small O2 sensor wire goes straight to it, but there you go.
